

We enclose copies of the drawings/documents listed below

Project Title	Issue No.	0																
Biblioteka Publiczna	Day	16																
	Month	11																
Projekt Wykonawczy Etap 0	Year	9																
		Revisions																
Specyfikacja Konstrucyjna.	ST K-01-00																	
Specyfikacja Robót Rozbiórkowych	ST K-02-00																	
Specyfikacja Tech. Konstr.betonowe i zelbetowe	ST K-03-00																	
Specyfikacja Tech. Konstrukcje stalowe	ST K-04-00																	
Wykazy zbrojenia																		
Distribution		Number of Copies (see key below)																
Architect :CD		2																
Architect :Paper copy		6																
Quantity Surveyor :																		
Services Engineer :																		
Contractor Head Office:																		
Resident Engineer :																		
Resident Architect :																		
Office Copy:																		
Issued by:(Initials)		Wga																
Status:(P= Prelim, I= Info, T= Tender, BP=Building Permit, C= Construction)		C																
Key:(H=Hard copy, X= Issue slip, CD= Disk, E= E-mail)	Courier	<input type="checkbox"/>	By Hand	<input checked="" type="checkbox"/>	Folded	<input type="checkbox"/>	E-mail	<input type="checkbox"/>										

Other:

We enclose copies of the drawings/documents listed below

Project Title	Issue No.										
Biblioteka Publiczna	Day	0									
	Month	16									
Projekt Wykonawczy	Year	11									
		9									
		Revisions									
Rzut poziom -0,55. Budynek P	BP-0-P-WZ-K-202.1										
Rzut poziom +3,05. Budynek P	BP-0-P-WZ-K-203.1										
Belka pod schodami	BP-0-P-WZ-K-505.1										
Wzmocnienie istniejących belek. Poziom +3.05	BP-0-P-WZ-K-505.2										
Wzmocnienie istniejących belek między osiami B-C (pod przejazdem). Poziom -0,55	BP-0-P-WZ-K-505.3										
Distribution		Number of Copies (see key below)									
Architect :CD		2									
Architect :Paper copy		6									
Quantity Surveyor :											
Services Engineer :											
Contractor Head Office:											
Resident Engineer :											
Resident Architect :											
Office Copy:											
Issued by: (Initials)		WGa									
Status: (P= Prelim, I= Info, T= Tender, BP=Building Permit, C= Construction)		C									
Key: (H=Hard copy, X= Issue slip, CD= Disk, E= E-mail)											
		Courier	<input type="checkbox"/>	By Hand	<input checked="" type="checkbox"/>	Folded	<input checked="" type="checkbox"/>	E-mail	<input type="checkbox"/>		

Other:

We enclose copies of the drawings/documents listed below

Project Title	Issue No.	0																		
Biblioteka Publiczna	Day	16																		
	Month	11																		
Projekt Wykonawczy	Year	9																		
		Revisions																		
Rzut stropu istniejacego poz. +3,00.	BP-0-M-WZ-K-203																			
Rzut. Poziom +5,96	BP-0-M-WZ-K-204																			
Rzut. Poziom +8,53	BP-0-M-WZ-K-205																			
Rzut. Poziom +11,1	BP-0-M-WZ-K-206																			
Rzut. Poziom +13,67	BP-0-M-WZ-K-207																			
Rzut. Poziom +16,26	BP-0-M-WZ-K-208																			
Rzut. Poziom +18,76	BP-0-M-WZ-K-209																			
Rzut. Poziom +21,32	BP-0-M-WZ-K-210																			
Rzut. Poziom +23,77	BP-0-M-WZ-K-211																			
Zbrojenie słupów w trafostacji.	BP-0-M-WZ-K-501.1																			
Zbrojenie słupów w trafostacji - wykaz stali	BP-0-M-WZ-K-501.1																			
Zbrojenie dolne płyty. Poziomy: +5,95; +8,53; +11,1; +13 67; +18,76	BP-0-M-WZ-K-502.2.1																			
Zbrojenie dolne płyty. Poziomy: +5,95; +8,53; +11,1; +13 67; +18,76	BP-0-M-WZ-K-501.2.2																			
Zbrojenie górne płyty. Poziomy: +5,95; +8,53; +11,1; +13 67; +18,76	BP-0-M-WZ-K-501.3.1																			
Zbrojenie górne płyty. Poziomy: +5,95; +8,53; +11,1; +13 67; +18,76	BP-0-M-WZ-K-501.3.2																			
Zbrojenie dolne płyty. Poziomy: +16 25; +21,32	BP-0-M-WZ-K-501.4.1																			
Zbrojenie dolne płyty. Poziomy: +16 25; +21,32	BP-0-M-WZ-K-501.4.2																			
Zbrojenie górne płyty. Poziomy: +16 25; +21,32	BP-0-M-WZ-K-501.5.1																			
Zbrojenie górne płyty. Poziomy: +16 25; +21,32	BP-0-M-WZ-K-501.5.2																			
Zbrojenie dolne płyty dachowej. Poziom +23,77	BP-0-M-WZ-K-501.6.1																			
Zbrojenie dolne płyty dachowej. Poziom +23,77	BP-0-M-WZ-K-501.6.2																			
Zbrojenie górne płyty dachowej. Poziom +23,77	BP-0-M-WZ-K-501.7.1																			
Zbrojenie górne płyty dachowej. Poziom +23,77	BP-0-M-WZ-K-501.7.2																			
Distribution		Number of Copies (see key below)																		
Architect :CD		2																		
Architect :Paper copy		6																		
Quantity Surveyor :																				
Services Engineer :																				
Contractor Head Office:																				
Resident Engineer :																				
Resident Architect :																				
Office Copy:																				
Issued by:(Initials)		WGa																		
Status:(P= Prelim, I= Info, T= Tender, BP=Building Permit, C= Construction)		C																		
Key:(H=Hard copy, X= Issue slip, CD= Disk, E= E-mail)		Courier	<input type="checkbox"/>	By Hand	<input checked="" type="checkbox"/>	Folded	<input checked="" type="checkbox"/>	E-mail	<input type="checkbox"/>											

Other: